



**QUANTUM**<sup>®</sup>  
#1 FOR REHAB POWER

DEDICATED TO REVOLUTIONIZING  
THE POWER CHAIR EXPERIENCE



**TRU**<sub>4</sub>  
BALANCE<sup>®</sup>  
POWER POSITIONING SYSTEMS



[quantumrehab.com](http://quantumrehab.com)



5

INTRO

6

iLEVEL®

8

R-TRAK

10

STRETTO

12

EDGE® 3

14

4FRONT® 2

18

TRU-BALANCE® 4

20

SEATING OPTIONS

22

STEALTH PRODUCTS® CUSHIONS

26

ELECTRONICS AND ACCESSORIES

30

COLOR OPTIONS AND HYDROGRAPHICS

32

APPLICATIONS

34

SERVICE AND SUPPORT

36

SPECIFICATIONS AND HCPCS CODE COVERAGE





# WELCOME TO QUANTUM<sup>®</sup>

Quantum Rehab<sup>®</sup> was born out of the desire to delight customers with the most advanced, consumer-inspired complex rehab power wheelchairs and related technologies possible.

Clinically-focused and consumer-inspired, Quantum<sup>®</sup> products are engineered and manufactured to meet the widest range of complex rehab needs with functional, durable, stylized, high-performance designs to increase daily functionality and quality of life. At Quantum, consumer needs and wishes are the driving force. We're dedicated to not just meeting medical and clinical needs, but also quality-of-life needs. From the most advanced power seating for pressure management to USB ports, Bluetooth<sup>®</sup> and fender lights, no consumer need is overlooked.

Headquartered in Duryea, Pennsylvania, Quantum also has operations in Australia, Canada, China, Italy, France, Germany, the Netherlands, New Zealand, and the United Kingdom.



[quantumrehab.com](https://quantumrehab.com) 





"COOKING IS SO MUCH EASIER NOW THAT I CAN REACH THINGS. I CAN'T IMAGINE MY LIFE WITHOUT iLEVEL."

STEPHANIE WOODWARD  
ROCHESTER, NY

# iLEVEL®

## POWER SEAT ELEVATION

Standing Height + Speed + Stability = Authentic iLevel (like no other)

iLevel® power seat elevation technology features a revolutionary new power chair design for a better experience. iLevel improves daily functionality and quality of life by allowing operation of the power chair with the seat elevated while at walking speed.

### FEATURES

- 12" of power adjustable seat height while at walking speed; maximum of 10" height on the Q6 Edge® HD
- iLevel's patented Extra Stability Technology® enhances safety for transfers, reach, and numerous other activities of daily living
- Retrofittable on the Stretto, Edge® 3 and Q6 Edge® 2.0
- Front and rear LED fender lights come standard with iLevel®



Safer transfers



Improved reach



Social interaction at iLevel®



PROUDLY MADE IN  
**AMERICA**  
OF FOREIGN AND DOMESTIC PARTS



Optional Quantum backup camera

Q-Logic 3 Advanced Drive Controls with Bluetooth® and USB charger

Stealth Products® cushion featuring exclusive Coolcore® technology

Optional 10" safe seat elevation at 3.5 mph

Independent SRS (Smooth Ride Suspension)

LED lighting in front caster arms and rear fenders



## R-TRAK

As a global innovator, we are creating a product that offers confidence and stability elevated at the speed of life. Our state-of-the-art facility has a robust team of experienced technicians who custom build each R-TRAK specifically to the individual consumer's needs.



Scan to learn about the design and development of the R-TRAK.



## R-TRAK

### REAR-WHEEL DRIVE

The R-TRAK revolutionizes the rear-wheel drive power chair experience. Independent SRS suspension on all four wheels combined with a compact base provide a smoother, more maneuverable driving experience. Standard features include fender lights, USB charger and drive wheel color accents. The R-TRAK is also available with our 10" safe seat elevation, allowing the client to drive up to 3.5 mph while elevated.

### SPECS

**MAXIMUM SPEED:** Up to 7 mph (3.5 mph when elevated)

**WEIGHT CAPACITY:** 300 lbs.

**TURNING RADIUS:** 25.7"

**POWER SEAT ELEVATION:** Optional 10" safe seat elevation

### COLORS

\* See website for a complete list of color options.



BLUE JEAN  
RED CORVETTE  
DEEP PURPLE  
LEMON CRUSH  
RASPBERRY BERET  
EVOLUTION ORANGE  
GREEN MACHINE

Independent SRS (Smooth Ride Suspension)

LED lighting in front caster arms and rear fenders

Optional Quantum backup camera can be mounted anywhere



PROUDLY MADE IN  
**AMERICA**  
OF FOREIGN AND DOMESTIC PARTS

NARROWEST POWER  
BASE IN AMERICA AT  
**20.47"**  
WIDTH WITH 12.5"  
DRIVE WHEELS



"TIGHT ROOMS, NARROW DOORWAYS, OUT-OF-REACH CABINETS AND VAN RAMP... NOW I CAN GO WHERE I WANT TO GO, ALL BECAUSE OF THE STRETTO!"

**BRYSON FOSTER**  
CONCORD, NC

## EDGE 3 STRETTO®

MID-WHEEL DRIVE

The Edge 3 Stretto® is the narrowest, most maneuverable power base in America! In addition to its narrow width, it is equipped with independent SRS (Smooth Ride Suspension), making it ideal for children, teenagers and small adults. The Stretto is available with 12.5" or 14" drive wheels and optional 12" of iLevel® power adjustable seat height.

### SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated with iLevel®)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 21"

POWER SEAT ELEVATION: Optional 12" iLevel

### COLORS

\* See website for a complete list of color options.



BLUE JEAN

RED CORVETTE

DEEP PURPLE

LEMON CRUSH

RASPBERRY BERET

EVOLUTION ORANGE

GREEN MACHINE

TRU-Balance® 4 Power Positioning Systems provide a choice of 10, 20, or 30 degrees of power anterior tilt.

12" iLevel® power seat elevation at 3.5 mph (standard on TRU-Balance® 4)

Toolless removal of rear shroud with battery access door

Independent SRS (Smooth Ride Suspension)

Q-Logic 3 Advanced Drive Controls with Bluetooth® and USB charger

Stealth Products® cushion featuring exclusive Coolcore® technology

Front and rear LED fender lights

AVAILABLE WITH iLEVEL  
POWER SEAT ELEVATION

Independent SRS (Smooth Ride Suspension)

The Stretto is the ideal pediatric power chair solution

Toolless access to electronics

PROUDLY MADE IN  
**AMERICA**  
OF FOREIGN AND DOMESTIC PARTS



"THE EDGE 3 WITH iLEVEL HAS RESTORED MY INDEPENDENCE AT BOTH WORK AND HOME. iLEVEL HAS ALLOWED ME TO GET MORE INVOLVED AND START A DIALOGUE WITH PEOPLE, SOMETHING I WOULDN'T HAVE DONE BEFORE."

**MERLISHA HENDERSON**  
PHOENIX, AZ

## EDGE® 3

MID-WHEEL DRIVE

The Edge® 3 offers upgraded SRS (Smooth Ride Suspension), which provides a smooth, comfortable ride and advanced stability. Optional iLevel® is available at 4.5 mph with up to 12" of power adjustable seat height.

### SPECS

**MAXIMUM SPEED:** 6.25 mph (7 mph with optional 4-pole motors and Q-Logic 3 / 4.5 mph when elevated with iLevel®)

**WEIGHT CAPACITY:** 300 lbs. (See Q6 Edge® HD for increased capacity)

**TURNING RADIUS:** 20.5"

**POWER SEAT ELEVATION:** Optional 12" iLevel

### COLORS

\* See website for a complete list of color options.



GREEN MACHINE

RED CORVETTE

DEEP PURPLE

LEMON CRUSH

RASPBERRY BERET

EVOLUTION ORANGE

BLUE JEAN

TRU-Balance® 4 Power Positioning Systems provide a choice of 10, 20, or 30 degrees of power anterior tilt.

12" iLevel® power seat elevation at 4.5 mph (standard on TRU-Balance® 4)

Featuring Extra Stability Technology® for safer transfers, reach and other activities of daily living

Q-Logic 3 Advanced Drive Controls with Bluetooth®

Stealth Products® cushion featuring exclusive Coolcore® technology

Upgraded SRS (Smooth Ride Suspension)



USB charger (standard)

Front and rear LED fender lights for seeing and being seen (standard)

Drive wheel color accents (standard)



PROUDLY MADE IN  
**AMERICA**  
OF FOREIGN AND DOMESTIC PARTS



"RIDING IN THE 4FRONT 2 IS UNLIKE ANY CHAIR I HAVE EVER USED. THE 4FRONT 2 PUSHES THE LIMIT SET BY ITS PREDECESSOR BEYOND MY EXPECTATIONS."

CHRISTIAN BUDNEY  
SCRANTON, PA

## 4FRONT® 2

FRONT-WHEEL DRIVE

### Featuring STC (Smart Traction Control)

The 4Front® 2 is the next generation of the 4Front® Power Chair! New Smart Traction Control (STC), along with Smooth Ride Suspension (SRS), provide stability for smooth obstacle transitions and unmatched driving performance. Additional new features include 4-pole motors and redesigned caster arms for improved durability and aesthetics and reduced weight.

#### SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 300 lbs. (450 lbs. on 4Front® 2 HD)

TURNING RADIUS: 25.9"

POWER SEAT ELEVATION: Optional 10" safe seat elevation

#### COLORS

\* See website for a complete list of color options.



EVOLUTION ORANGE

RED CORVETTE

DEEP PURPLE

LEMON CRUSH

RASPBERRY BERET

GREEN MACHINE

BLUE JEAN

**450-LB.**  
WEIGHT CAPACITY

available on the  
**4FRONT® 2 HD**

TRU-Balance® 4 Power Positioning Systems provide a choice of 10, 20, or 30 degrees of power anterior tilt.

Optional backup camera with 3.5" display can be mounted in multiple locations

10" power adjustable safe seat elevation at 3.5 mph (standard on TRU-Balance® 4)

STC (Smart Traction Control)

Automotive-grade SRS (Smooth Ride Suspension)

Redesigned caster arms for improved durability

Stealth Products® cushion featuring exclusive Coolcore® technology

Front and rear LED fender lights for seeing and being seen (standard)



450-lb. weight capacity is available on the 4Front® 2 HD

Automotive-grade SRS (Smooth Ride Suspension)

LED front and rear fender lights (front: white / rear: red)





## Q6 EDGE® 2.0

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 20.5"

POWER SEAT ELEVATION: Optional 12" iLevel®

COLORS \* See website for a complete list.



## Q6 EDGE® 2.0 X

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 6.25 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 20.5"

POWER SEAT ELEVATION: Optional 12" iLevel®

COLORS \* See website for a complete list.



## Q6 EDGE® Z

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 6 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 19.75"

POWER SEAT ELEVATION: Optional 12" iLevel®

COLORS \* See website for a complete list.



## J6

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 4 mph

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 22"

COLORS



## J4

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 5 mph

WEIGHT CAPACITY: 300 lbs.

TURNING RADIUS: 21"

COLORS



FEATURING  
Q4 HEAVY DUTY  
POWER TILT

## J4 HD

MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 5 mph

WEIGHT CAPACITY: 400 lbs.

TURNING RADIUS: 21"

COLORS



## Q6 EDGE® HD

BARIATRIC MID-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 4.7 mph (3.5 mph when elevated)

WEIGHT CAPACITY: 450 lbs. (400 lbs. with iLevel®)

TURNING RADIUS: 19.75"

POWER SEAT ELEVATION: Optional HD 10" iLevel®

COLORS \* See website for a complete list.



## Q1450

BARIATRIC FRONT-WHEEL DRIVE

### SPECS

MAXIMUM SPEED: 4.5 mph

WEIGHT CAPACITY: 600 lbs.

TURNING RADIUS: 26.5"

COLORS



# TRU-Balance® 4 Power Positioning Systems

WITH ANTERIOR TILT AND MEMORY SEATING

Maximum weight capacity of up to 300 lbs.

Up to 8 customizable memory seating positions recall the saved positions of all actuators, offering the choice between sequential or synced movement for each seat function.

Seat elevation combined with anterior tilt provides optimal access.

Consumers may find it easier to perform ADLs such as: accessing sinks and cooktop surfaces, meal preparation and reaching items in cabinets.

TRU-Balance® 4 with Dual Actuator AFP shown on the Edge 3 Stretto®



## DUAL ACTUATOR POWER ARTICULATING FOOT PLATFORM

Lowers to assist with transfers

Articulation range of 0-7.25"

Elevation range of 85-165 degrees

Only available on TRU-Balance® 4

Chest Bar



Knee Blocks



# TRU-BALANCE® 4

## POWER POSITIONING SYSTEMS

### FEATURES

- Anterior tilt options: 10, 20 and 30 degrees
- Up to eight customizable memory seating positions
- Chest bar and knee blocks available (knee blocks and chest support required with 20 or 30 degrees of anterior tilt)
- Available on the Edge 3 Stretto®, 4Front® 2, and Edge® 3
- Optional Accu-Trac Advanced Tracking Technology
- Optional WC19 crash-test approved occupied transit kit option
- Available seat sizes: 16-22" width and 14-22" depth

### POWER RECLINE

- 85° - 165° of recline
- 300 lbs. weight capacity
- Available with power tilt and power adjustable seat lift
- No increase in seat-to-floor height
- Standard shear reduction and cantilever armrests

### POWER POSTERIOR TILT

- 0° - 50° of tilt
- Lower seat-to-floor height
- Unmatched adjustment and durability
- Maintains center of gravity shift

### DRIVE SPEEDS IN ANTERIOR TILT

- Up to 10° of anterior tilt, up to full lift: **2 MPH**
- 10-20° of anterior tilt, up to 6" of lift: **0.5 MPH**
- 10-20° of anterior tilt, over 6" of lift: **DRIVE LOCKOUT**
- Over 20° of anterior tilt: **DRIVE LOCKOUT**

### COLORS

\* See website for a complete list of color options.



LEMON CRUSH

RED CORVETTE

DEEP PURPLE

EVOLUTION ORANGE

RASPBERRY BERET

GREEN MACHINE

BLUE JEAN

TRU-Balance® 4 Power Recline



TRU-Balance® 4 Power Posterior Tilt



TRU-Balance® 4 with 12" iLevel® Power Elevation





"I'M ABLE TO ELEVATE TO EVERYONE'S HEIGHT WITH iLEVEL. I FEEL MORE INCLUDED."

MORGAN STEWARD  
COVINGTON, GA

Quantum® pediatric seating with optional iLevel® 12" power seat elevation

## SEATING

### AND POSITIONING

#### TRU-BALANCE® FLEX SEATING



No-charge static seat for the Edge 3 Stretto®, Edge® 3, Q6 Edge® 2.0, J4 and Rival®

Easily adjustable, versatile design that can grow with the user

Same ease of width and depth adjustment as TRU-Balance® 3

Seat sizes 15"-22" wide and 15"-20" deep

#### SYNERGY® SEATING



Easily adjustable, this versatile design can grow with the user

Several width/depth adjustment packages ranging from 10" to 32"

Accepts a wide variety of after-market seats and backs

Heavy duty option provides a weight capacity of 600 lbs. and seating up to 32" x 28" (model specific)

#### CONTOURED SEATING



Black vinyl captain's seat with optional armrests

Compatible with TRU-Balance 3 power articulating foot platform

Available in high back, medium back, solid seat pan, limited recline, and depth-adjustable

TRU-Balance® Flex Seating



Synergy® Seating



Contoured Seating





FEATURING EXCLUSIVE  
**COOLCORE**<sup>®</sup>  
 CHEMICAL-FREE COOLING TECHNOLOGY



30+ UPF



Dry



Chemical Free



Breathable Comfort

"While the other makers of cooling fabrics use a number of chemicals to enhance wicking, transportation and evaporation, Coolcore fabrics are chemical free. To make that possible, we changed the essence of cooling fabric technology right down to its very core."

COOLCORE<sup>®</sup>


# STEALTH PRODUCTS<sup>®</sup>

## CUSHIONS


Stealth Products<sup>®</sup> Cushions feature patented Coolcore<sup>®</sup> technology, a chemical free, four-way stretch material that offers moisture wicking, moisture transportation, and moisture evaporation properties. Our cushions also use a color guide that identifies the suggested HCPC code and function family by a unique patch.

### FEATURES

- Chemical free
- Regulates temperature
- Manages and distributes your body heat
- Ships out within 2 days on or off chair



Convenient built-in side/front pouches



Constructed with FRG Sunmate flame-retardant material



Easy-pull rubber loop zipper handles



	TRU-Comfort 2 SPP	Essence SPP	Solution® SPP	Spectrum® Foam/Gel SPP	Premiere P	Glacial SP	Zen SP	Simplicity G
<b>DESCRIPTION<sup>1</sup></b>	 Multi-layered foam Deep contour, CoolCore® cushion cover has "pockets" on sides	 Low profile Tru-Comfort 2, lateral and pre-ischial shelf Contoured, HD molded foam base, coccyx and sacral relief	 Standard viscoelastic foam top with twin cell aqueous viscous gel (heavier gel) insert in ischial well, mid-level contour	 SunMate FRG foam top (SunMate FRG XXSoft (blue); Medsoft (green)) with multi-layered foam insert or twin cell ultra-lightweight viscous gel insert in ischial well, sacral relief	 Gray X-Soft SunMate FRG foam topper, high density positioning wedges built in for offloading.	 New SIM G base, fluid resistant overlay, top and sides TPU heat-sealed, low profile, lightweight cooling gel topper	 New SIM G base, SunMate FRG XXSoft (blue topper), low profile, lightweight	 High-density foam Stealth-Tek cover standard More contour to sacral/coccyx relief well
<b>WEIGHT CAPACITY</b>	14-15" W: 175 lbs. 16-21" W: 350 lbs. 22+" W: 450 lbs.	10-15" W: 175 lbs. 16-21" W: 350 lbs. 22" W: 450 lbs.	10-15" W: 175 lbs. 16-20" W: 350 lbs. 22+" W: 500 lbs.	14" W: 175 lbs. Foam & Gel 16-20" W: 350 lbs. Foam & Gel 22+" W: 650 lbs. Foam; 550 lbs. Gel	14-15" W: 175 lbs. 16-21" W: 350 lbs. 22" W: 500 lbs.	10-15" W: 175 lbs. 16-21" W: 350 lbs. 22+" W: 400 lbs.	10-15" W: 175 lbs. 16-21" W: 350 lbs. 22+": 400 lbs.	10-15" W: 175 lbs. 16-21" W: 350 lbs. 22+" W: 400 lbs.
<b>OVERALL WEIGHT</b>	4 lbs.	3.5 - 5 lbs.	5.4 lbs.	Foam: 3 lbs.    Gel: 3.5 lbs.	3.5 lbs.	3.5 lbs.	2.5 lbs.	2 lbs.
<b>HEIGHT</b>	4.5"	3.5"	3"	3"	3.5"	2.5"	3"	2"
<b>DIMENSIONS<sup>2</sup></b>	14x14" up to 24x24" Odd sizes in 15-21" W SOF available	10x10" up to 22x24" Odd sizes in 15-21" W SOF available	10x10" up to 24x24" Odd sizes in 15-19" W SOF available	Foam: 14x18" up to 32x28" Gel: 14x18" up to 24x26" Odd sizes in 17" and 19" W SOF available	14x13" up to 22x22" Odd sizes up to 21" W SOF available	10x10" up to 24x24" Odd sizes in 15-21" W No SOF	10x10" up to 24x24" Odd sizes in 15-21" W SOF available	10x10" up to 24x24" Odd sizes in 15-21" W No SOF
<b>MSRP</b>	\$420 - \$525	\$420 - \$625	\$394 - \$452	\$483 - \$557 (\$620 for Spectrum Foam SPP larger than 24")	\$341 - \$499	\$347 - \$462	\$331 - \$446	\$116 - \$173
<b>HCPCS</b>	E2607/E2608	E2607/E2608	E2607/E2608	E2607/E2608	E2605/E2606	E2603/E2604	E2603/E2604	E2601/E2602
<b>ALLOWANCES<sup>3</sup></b>	\$332.23 / \$398.98	\$332.23 / \$398.98	\$332.23 / \$398.98	\$332.23 / \$398.98	\$308.53 / \$481.33	\$173.74 / \$215.97	\$173.74 / \$215.97	\$70.10 / \$136.85

1) CoolCore® is standard on all cushions except the Simplicity G.  
 2) Special order sizes available for all cushions except the Glacial SP and Simplicity G. Contact sales for additional assistance.  
 3) Allowances listed are estimations for cushions billed in conjunction with Group 3 power chair bases using the KU modifier and may vary by state.

DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. Payer coding, coverage, and bundling guidelines may apply.



## Stealth® ADI Q-Back 2.0

### FEATURES

- 450-lb. weight capacity
- CoolCore® Cover with 1.25" of Medium Soft Sunmate® FRG foam
- Two styles: AL Style (Aluminum) and AFT Style (Aluminum Flat Top)
- Available configurations: Active Contour (2.5" depth), Deep Contour (4" depth), and Extra Deep Contour (6" depth)
- Widths: 14"-22"
- Shell heights: Standard (16"), Tall (18"), Extra Tall (20"), Extra Extra Tall (22")





"MY EDGE GIVES ME THE OPPORTUNITY TO USE ADVANCED TECHNOLOGY THAT GIVES ME SO MUCH INDEPENDENCE."

ZOE HERNANDEZ

FEATURING  
**Bluetooth®**

## Q-LOGIC 3

### ADVANCED DRIVE CONTROLS

The Q-Logic 3 Advanced Drive Controls System from Quantum Rehab® is like no other power wheelchair electronics system. Designed from clinician and consumer feedback, Q-Logic 3 is user-friendly and highly customizable.

#### FEATURES

- Wireless Bluetooth® programming through Windows devices
- Bluetooth access to computer, tablet, and phone functions
- iAccess programmable push button and toggle options for customized seating access
- Clinic Mode:
  - Quickly set up multiple input devices in client evaluations
  - Automatically assigned drive modes to input devices



Q-LOGIC 3 EX  
ENHANCED DISPLAY



Q-LOGIC 3 EX  
JOYSTICK CONTROLLER



Q-LOGIC 3e  
JOYSTICK  
CONTROLLER



Q-Logic 3  
home screen



Q-Logic 3  
drive screen

#### ENHANCED DISPLAY

The optional Q-Logic 3 EX Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic 3 can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth® computer mouse emulator.



Q-Logic 3 iAccess  
Programmable Switchbox



Q-Logic 3 Stand  
Alone Joystick



Q-Logic 3 Specialty Controls  
Interface Module



NON-EXPANDABLE

JOYSTICK OPTIONS

SIP-N-PUFF

MULTI-SWITCH



Q-Logic NE and NE+



Stealth® i-Drive® Sip-N-Puff



Stealth® i-Drive® 4 Stealth Pro, 3-Switch Head Array



Stealth® i-Drive® Tri-Array, 3-Switch Head Array



Stealth® i-Drive® Curved Array

EXPANDABLE (Q-LOGIC 3)

SINGLE SWITCH

TRAY ARRAYS



Q-Logic 3 EX Joystick



Q-Logic 3e Joystick



Q-Logic 3 EX Enhanced Display



Q-Logic 3 Stand Alone Joystick



Q-Logic 3 iAccess Programmable Switchbox



Q-Logic 3 Specialty Interface Module



Stealth® Egg Switch



Mo-Vis™ Twister Basic Button



Mo-Vis™ Twister Satellite Button



Stealth® i-Drive® Eclipse Tray with Four Capacitive Proximity Sensors



Stealth® i-Drive® Eclipse Tray with Four Fiber Optic Proximity Sensors

PROPORTIONAL DRIVE CONTROLS

MISC. ACCESSORIES



Mo-Vis™ All-Round Joystick



Mo-Vis™ All-Round Light Joystick



Mo-Vis™ Multi Joystick



Stealth® i-Drive® Control Harness




Stealth® Precision Mini Proportional Joystick



Stealth® Mushroom Joystick



Mo-Vis™ Micro Joystick



Front and Rear LED Fender Lights



Hydration System



Transfer Bars (Pair)



Backup Camera



Personal Item Hook



Phone Holder



Rearview Mirror



Glove Box

# COLOR OPTIONS



**BLUE JEAN (MATTE)**  
PPW-BLU-11  
Available on Stretto, Edge® 3,  
4Front® 2 and 4Front® 2 HD



**RED CORVETTE**  
PPW-RED-01  
Available on all Quantum® bases



**MIDNIGHT BLUE**  
PPW-BLU-10  
Available on Stretto,  
Edge® 3/2.0/2.0X/Z/HD,  
4Front® 2 and 4Front® 2 HD



**EVOLUTION ORANGE**  
PPW-ORN-07  
Not available on J4 and J4 HD



**LEMON CRUSH**  
PPW-YEL-04  
Available on Stretto,  
Edge® 3/2.0/2.0X,  
4Front® 2 and 4Front® 2 HD



**GREEN MACHINE**  
PPW-GRN-11  
Available on Stretto,  
Edge® 3/2.0/2.0X/Z/HD,  
4Front® 2 and 4Front® 2 HD




**RASPBERRY BERET**  
PPW-PNK-04  
Available on Stretto, Edge® 3,  
4Front® 2 and 4Front® 2 HD



**PRETTY IN PINK**  
PPW-PNK-03  
Not available on J4 and J4 HD



**DEEP PURPLE**  
PPW-PRP-05  
Available on Stretto,  
Edge® 3/2.0/2.0X/Z/HD,  
4Front® 2 and 4Front® 2 HD



**ELECTRIC BLUE**  
PPW-BLU-09  
Available on all Quantum® bases




**NIGHT TRAIN (MATTE)**  
PPW-BLK-03  
Available on Stretto,  
Edge® 3/2.0/2.0X/Z/HD,  
4Front® 2 and 4Front® 2 HD



**MILITARY GREEN (MATTE)**  
PPW-GRN-08  
Available on Stretto, Edge® 3/2.0/2.0X,  
4Front® 2 and 4Front® 2 HD




**GREY STREET**  
PPW-SIL-03  
Available on Stretto,  
Edge® 3/2.0/2.0X/Z/HD,  
4Front® 2 and 4Front® 2 HD



**BACK IN BLACK**  
PPW-BLK-01  
Available on all Quantum® bases

## Hydrographics




**CARBON FIBER**  
HYDROGRAPHICS  
Available on Edge® 3



**MILITARY DIGITAL CAMO**  
HYDROGRAPHICS  
Available on Stretto, Edge® 3,  
4Front® 2 and 4Front® 2 HD



**FADED GLORY**  
HYDROGRAPHICS  
Available on Stretto, Edge® 3,  
4Front® 2 and 4Front® 2 HD



## INTERACTIVE ASSIST

Reduce service visits with this innovative app.

- SCREEN MIRRORING
- REAL-TIME MONITORING
- EFFICIENCY IMPROVEMENTS
- TROUBLESHOOTING
- BATTERY MANAGEMENT
- DIAGNOSTIC HISTORY
- BASIC PROGRAMMING
- REMOTE ACCESS
- CHANGE LOG HISTORY
- SAVING XPA FILES
- MOTOR USAGE HISTORY
- TEXT CHATTING
- PROGRAMMING IR MENU
- ACCESS TO BLUETOOTH FEATURES
- DEALER-TO-DEALER PROGRAMMING ACCESS

Q-Logic 3 now features Interactive Assist. Interactive Assist from Quantum Rehab® is an app which provides a direct real-time connection from a power chair's electronics to a provider's programming station. The connection provides the technician with full system and diagnostics information along with tools, such as a real-time mirror image of the power chair's electronics display, to eliminate wasteful trips.



Download Interactive Assist today!

## PQ-365


All Quantum® and Pride® product information combined into one app!



LIVE CHAT



VOICE SEARCH



ZOOM FEATURE FOR PRODUCT IMAGES



SERIAL NUMBER AND ORDER SEARCH



ILLUSTRATED PARTS BREAKDOWNS




IMAGE SEND OPTION



Download PQ-365 today!



## ECON-I

Convenience at your fingertips!

The Econ-I app is now available for download on Apple® iPhone® devices, allowing you to program Quantum® Power Chairs conveniently from your iPhone or iPad. Compatible devices include the iPhone 6S/6s Plus/SE or higher, and the iPad Air/iPad Mini 2/iPad Pro/iPad 5th generation or higher. All devices must support iOS version 12 or higher.



Download ECON-I today!



# SERVICE

## AND SUPPORT

### SALES SUPPORT 866.800.2002

Quantum Sales Support assists with design, ordering, pricing and quality assurance.

### CUSTOM GROUP 877.465.2999

The Quantum Custom Group provides innovative custom solutions and specialized product modifications.

### TECHNICAL SUPPORT EXT. 5200

Quantum Technical Support offers assistance with troubleshooting and parts order placement.

### PRODUCT PLANNING & REIMBURSEMENT

Assistance with understanding Medicare codes and coverage criteria, product planning, provision guidelines, claims coding, pre-screens and assistance in regard to high-end rehab clients.


### SET TO SPEC SERVICE

Set to Spec Service from Quantum Rehab® is designed to assist you in delivering Q6 Series Power Chairs to your clients. We will pre-set, to your specifications, seat-to-floor heights, seating center of gravity, armrest heights, front riggings, thoracic and/or thigh laterals.






### LIFE.QUANTUMREHAB.COM

Discover blogs written by our team of ambassadors. Get tips on wheelchair travel, power chair maintenance and more.



### CLINICAL RESOURCES

The Clinical Resources section of the Quantum website is specifically tailored to clinicians' needs, featuring order forms, clinical references, and reimbursement information.



### QUANTUMREHAB.COM

Quantum's official website is the ultimate source for everything you need to know about Quantum® products. Highlights include detailed product specifications, order forms, videos, user testimonials and much more.



### SOCIAL MEDIA

Stay up to date on the latest Quantum® events and product releases through Twitter, Facebook, YouTube, Instagram and TikTok.



### STEALTHPRODUCTS.COM

Stealth Products® launched in 1999, in response to a need for versatile, high-quality head and neck positioning systems, as well as switch site location hardware. Their products include: head and body support/positioning, joystick mounts, trays, seating, cushions, and pediatric mobility products.

- 1) Standard
- 2) Optional
- 3) Requires HD Suspension
- 4) Speed varies with user weight, terrain type battery charge, battery condition and tire pressure.
- 5) Without front riggings
- 6) Battery capacity may change when adding power positioning systems.
- 7) Weight capacity is dictated by the selection of seating.
- 8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Depths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- 9) 250 lbs. weight capacity with TRU-Balance®
- 10) A minimum seating size of 20" x 20" is required with iLevel® on the Q6 Edge® HD; maximum seating size is 24" x 24"
- 11) Without foot riggings
- 12) All Quantum units can be ordered with specialty controls
- 13) 6.25 mph speed available only with Q-Logic 3.
- 14) Battery weight may vary +/- 3 lbs. based on manufacturer.
- 15) Reduced to 400 lbs. with iLevel® power adjustable seat height
- 16) Seat-to-floor heights are measured with the unit unloaded. Due to the 4Front's suspension system, seat-to-floor heights are approximately 0.25" lower when the unit is loaded.
- 17) 7 mph can only be achieved with optional 4-pole motors and Q-Logic 3. Maximum speed without 4-pole motors is 6.25 mph with Q-Logic 3.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

AVAILABLE WITH  
12" iLEVEL® AT 3.5 MPH



AVAILABLE WITH  
12" iLEVEL® AT 4.5 MPH



AVAILABLE WITH  
12" iLEVEL® AT 3.5 MPH



AVAILABLE WITH  
12" iLEVEL® AT 3.5 MPH



AVAILABLE WITH  
12" iLEVEL® AT 3.5 MPH



AVAILABLE WITH 10"  
HD iLEVEL® AT 3.5 MPH



	EDGE 3 STRETTO®	EDGE® 3	EDGE® 2.0	EDGE® 2.0 X	EDGE® Z	EDGE® HD	J4
<b>HCPCS CODES</b> For more information on HCPCS code coverage, please consult our Product Planning & Reimbursement Center.	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Standard (K0848/K0849), Single Power (K0856), Multiple Power (K0861)	Group 3: Heavy Duty (K0850/K0851), Single Power HD (K0858), Multiple Power HD (K0862)	Group 2: Standard (K0822/K0823), Single Power (K0835)
<b>AVAILABLE ON VA CONTRACT</b>	FSS Contract V797D-70001	FSS Contract V797D-70001	FSS Contract V797D-70001	N/A	FSS Contract V797D-70001	FSS Contract V797D-70001	FSS Contract V797D-70001
<b>WEIGHT CAPACITY</b> 7	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	450 lbs. 15	300 lbs.
<b>MAXIMUM SPEED</b> 4	Up to 6.25 mph (3.5 mph with iLevel®) 13	Up to 6.25 mph 13 Optional: Up to 7 mph 17 (4.5 mph with iLevel®)	Up to 6.25 mph 13 (3.5 mph with iLevel®)	Up to 6.25 mph 13 (3.5 mph with iLevel®)	Up to 6 mph (3.5 mph with iLevel®)	Up to 4.7 mph (3.5 mph with iLevel®)	Up to 5 mph
<b>GROUND CLEARANCE</b>	2.9"	2.7" (battery tray)	2.7" (battery tray)	2.7" (battery tray)	3" (base frame)	3" (base frame)	2.9" (battery tray)
<b>TURNING RADIUS</b> 5	21"	20.5"	20.5"	20.5"	19.75"	19.75"	21"
<b>LENGTH</b> 11	32.5"	35.5"	35.5"	35.5"	35.6"	35.6"	35.5"
<b>WIDTH</b>	21.5" (14" drive wheels) 20.47" (12.5" drive wheels)	24.4"	24.4"	24.4"	26.25"	26.25"	24.5"
<b>DRIVE WHEELS</b>	14" or 12.5" pneumatic or flat free tires Optional: 14" knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Solid Optional: 14" Pneumatic; 14" Knobby	14" Run Flat Optional: 14" Pneumatic; 14" Knobby	14" Run Flat Optional: 14" Pneumatic; 14" Knobby	14" Flat Free
<b>CASTER WHEELS</b>	Front: 5" flat free Rear: 6" flat free	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid
<b>ANTI-TIP WHEELS</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>BASE WEIGHT</b>	126.4 lbs.	138.6 lbs.	138.6 lbs.	138.6 lbs.	143.5 lbs.	143.5 lbs.	131.6 lbs.
<b>BATTERY WEIGHT</b> 14	40 AH: 31 lbs. each NF-22: 40 lbs. each	40 lbs. each	40 lbs. each	40 lbs. each	52 lbs. each	52 lbs. each	40 lbs. each
<b>DRIVE WHEEL CONFIGURATION</b>	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive	Mid-wheel Drive
<b>MOTOR PACKAGES</b>	2-pole	Standard: 2-pole Optional: 4-pole	2-pole	2-pole	4-pole	4-pole	2-pole
<b>BATTERIES</b> 6	40AH (2) or NF-22 (2)	NF-22 (2)	NF-22 (2)	NF-22 (2)	Group 24 (2)	Group 24 (2)	NF-22 (2)
<b>BATTERY CHARGER</b>	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board
<b>AVAILABLE ELECTRONICS</b> 12	120A Q-Logic 3 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3	120A Q-Logic 3 75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3 75A Q-Logic NE 75A Q-Logic NE+	75A Q-Logic NE 75A Q-Logic NE+
<b>SEATING SIZES</b>							
<b>TRU-BALANCE®</b> 4	W: 16-22" D: 14-22"	W: 16-22" D: 14-22"	N/A	N/A	N/A	N/A	N/A
<b>SYNERGY®</b>	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-22" D: 10-22"	W: 10-24" D: 10-24"	W: 20-28" D: 15-28"	N/A
<b>TRU-BALANCE® 3 STATIC</b>	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-24" D: 12-24"	N/A	N/A
<b>TRU-BALANCE® 3 POWER TILT</b>	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-24" D: 12-24"	N/A	N/A
<b>TRU-BALANCE® 3 LIFT &amp; TILT</b>	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 12-22"	W: 12-22" D: 14-22"	W: 12-24" D: 12-24"	N/A	N/A
<b>TRU-BALANCE® 3 HD STATIC</b>	N/A	N/A	N/A	N/A	N/A	W: 20-32" D: 20-25"	N/A
<b>TRU-BALANCE® 3 HD POWER TILT</b>	N/A	N/A	N/A	N/A	N/A	W: 20-32" D: 20-25"	N/A
<b>TRU-BALANCE® 3 HD LIFT &amp; TILT</b>	N/A	N/A	N/A	N/A	N/A	W: 20-24" D: 20-25" 10	N/A
<b>TRU-BALANCE® 2 HD STATIC</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>TRU-BALANCE® 2 HD POWER TILT</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>TRU-BALANCE® FLEX SEAT</b>	W: 15-22" D: 15-20"	W: 15-22" D: 15-20"	W: 15-22" D: 15-20"	N/A	N/A	N/A	W: 15-22" D: 15-20"
<b>Q4 POWER TILT</b>	N/A	N/A	N/A	N/A	N/A	N/A	W: 16-20" D: 16-22"
<b>SEAT-TO-FLOOR HEIGHTS</b> 13,16							
<b>TRU-BALANCE®</b> 4 8	18-19"	17.5-19.25"	N/A	N/A	N/A	N/A	N/A
<b>SYNERGY® / STATIC</b> 8	16"-18" (Static only)	Synergy®: 15.875 - 20.875" Static: 16.5 - 18.5"	Synergy®: 15.875 - 20.875" Static: 16.5 - 18.5"	Synergy®: 15.875 - 20.875" Static: 16.5 - 18.5"	16.5-18.5"	16.5-18.5"	N/A
<b>POWER TILT</b> 8	17.5-19.5"	17.5-19.5"	17.5-19.5"	17.5-19.5"	18.5-20.5"	18.5-20.5"	N/A
<b>LIFT &amp; TILT</b> 8	18-20"	17.5-19.5"	17.5-19.5"	17.5-19.5"	18.5-20.5"	18.5-20.5"	N/A
<b>TRU-BALANCE® FLEX SEAT</b> 8	16.5-18.5"	16.5-18.25"	16.5-18.25"	N/A	N/A	N/A	16.5-18.25"
<b>Q4 POWER TILT</b>	N/A	N/A	N/A	N/A	N/A	N/A	17.25-19.25"



AVAILABLE WITH 10"  
ELEVATION AT 3.5 MPH

AVAILABLE WITH 10"  
ELEVATION AT 2.7 MPH

AVAILABLE WITH 10"  
ELEVATION AT 3.5 MPH

- 1) Standard
- 2) Optional
- 3) Requires HD Suspension
- 4) Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
- 5) Without front riggings
- 6) Battery capacity may change when adding power positioning systems.
- 7) Weight capacity is dictated by the selection of seating.
- 8) All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Depths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- 9) 250 lbs. weight capacity with TRU-Balance®
- 10) A minimum seating size of 20" x 20" is required with iLevel® on the Q6 Edge® HD; maximum seating size is 24" x 24"
- 11) Without foot riggings
- 12) All Quantum units can be ordered with specialty controls
- 13) 6.25 mph speed available only with Q-Logic 3.
- 14) Battery weight may vary +/- 3 lbs. based on manufacturer.
- 15) Reduced to 400 lbs. with iLevel® power adjustable seat height
- 16) Seat-to-floor heights are measured with the unit unloaded. Due to the 4Front's suspension system, seat-to-floor heights are approximately 0.25" lower when the unit is loaded.
- 17) 7 mph can only be achieved with optional 4-pole motors and Q-Logic 3. Maximum speed without 4-pole motors is 6.25 mph with Q-Logic 3.

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement. The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

	J4 HD	J6	4FRONT® 2	4FRONT® 2 HD	Q1450	R-TRAK
<b>HCPCS CODES</b> For more information on HCPCS code coverage, please consult our Product Planning & Reimbursement Center.	Group 2: Single Power HD (K0837)	Group 2: Standard (K0822/K0823), Single Power (K0835)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)	Group 3: Heavy Duty (K0850), Single Power HD (K0858), Multiple Power HD (K0862)	Group 3: Very HD (K0852/K0853), Single Power Very HD (K0860)	Group 3: Standard (K0848/K0849), Single Power (K0856/K0857), Multiple Power (K0861)
<b>AVAILABLE ON VA CONTRACT</b>	FSS Contract V797D-70001	FSS Contract V797D-70001	FSS Contract V797D-70001	FSS Contract V797D-70001	FSS Contract V797D-70001	Coming Soon to FSS
<b>WEIGHT CAPACITY 7</b>	400 lbs.	300 lbs.	300 lbs.	450 lbs.	600 lbs.	300 lbs.
<b>MAXIMUM SPEED 4</b>	Up to 5 mph	Up to 4 mph	Up to 6.25 mph (3.5 mph when elevated)	Up to 5 mph (2.7 mph when elevated)	Up to 4.5 mph	Up to 7 mph (3.5 mph when elevated)
<b>GROUND CLEARANCE</b>	2.9" (battery tray)	2" (caster arms)	3.14" (battery tray)	3.14" (battery tray)	1.5" (anti-tip wheels)	3.97" (battery tray)
<b>TURNING RADIUS 5</b>	21"	22"	25.9"	25.9"	26.5"	25.7"
<b>LENGTH 11</b>	35.5"	34.74"	39.9"	39.9"	38.25"	34.8"
<b>WIDTH</b>	24.5"	23.19"	24"	24"	29.25"	24.2"
<b>DRIVE WHEELS</b>	14" Flat Free	10" Solid <b>Optional:</b> 10" Pneumatic	14" Solid <b>Optional:</b> 14" Pneumatic; 14" Knobby	14" Solid <b>Optional:</b> 14" Pneumatic; 14" Knobby	14" Solid	14" Solid <b>Optional:</b> 14" Pneumatic
<b>CASTER WHEELS</b>	<b>Front:</b> 6" Solid <b>Rear:</b> 6" Solid	<b>Front:</b> 5" Solid <b>Rear:</b> 6" Solid	<b>Rear:</b> 9" Flat Free	<b>Rear:</b> 9" Flat Free	<b>Rear:</b> 9" Solid	<b>Front:</b> 9" Solid
<b>ANTI-TIP WHEELS</b>	N/A	N/A	<b>Front:</b> 4" Flat Free	<b>Front:</b> 4" Flat Free	<b>Front:</b> 4" Solid	<b>Rear:</b> 4" Flat Free
<b>BASE WEIGHT</b>	131.6 lbs.	100.2 lbs.	130 lbs.	130 lbs.	195 lbs.	128 lbs.
<b>BATTERY WEIGHT 14</b>	40 lbs. each	23.4 lbs. each	Group 24: 51.5 lbs. each Group 34: 44.8 lbs. each	Group 24: 51.5 lbs. each	52 lbs. each	51.5 lbs. each
<b>DRIVE WHEEL CONFIGURATION</b>	Mid-wheel Drive	Mid-wheel Drive	Front-wheel Drive	Front-wheel Drive	Front-wheel Drive	Rear-wheel Drive
<b>MOTOR PACKAGES</b>	4-pole	2-pole	4-pole	4-pole	4-pole	4-pole
<b>BATTERIES 6</b>	NF-22 (2)	U-1 (2)	Group 24 (2)	Group 24 (2)	Group 24 (2)	Group 24 (2)
<b>BATTERY CHARGER</b>	8A Off-board	5A Off-board	8A Off-board	8A Off-board	8A Off-board	8A Off-board
<b>AVAILABLE ELECTRONICS 12</b>	75A Q-Logic NE+	75A Q-Logic NE 75A Q-Logic NE+	120A Q-Logic 3	120A Q-Logic 3	120A Q-Logic 3 90A VR2 6-key	120A Q-Logic 3 75A Q-Logic NE+
<b>SEATING SIZES</b>						
<b>TRU-BALANCE® 4</b>	N/A	N/A	W: 16-22" D: 14-22"	N/A	N/A	N/A
<b>SYNERGY®</b>	N/A	W: 10-22" D: 10-22"	N/A	N/A	W: 20-32" D: 20-28"	N/A
<b>TRU-BALANCE® 3 STATIC</b>	N/A	W: 14-20" D: 14-20"	W: 12-22" D: 12-22"	N/A	N/A	W: 12-22" D: 12-22"
<b>TRU-BALANCE® 3 POWER TILT</b>	N/A	W: 14-20" D: 14-20"	W: 12-22" D: 12-22"	N/A	N/A	W: 12-22" D: 12-22"
<b>TRU-BALANCE® 3 LIFT &amp; TILT</b>	N/A	N/A	W: 12-22" D: 12-22"	N/A	N/A	W: 12-22" D: 12-22"
<b>TRU-BALANCE® 3 HD STATIC</b>	N/A	N/A	N/A	W: 20-24" D: 20-24"	N/A	N/A
<b>TRU-BALANCE® 3 HD POWER TILT</b>	N/A	N/A	N/A	W: 20-24" D: 20-24"	N/A	N/A
<b>TRU-BALANCE® 3 HD LIFT &amp; TILT</b>	N/A	N/A	N/A	W: 20-24" D: 20-24"	N/A	N/A
<b>TRU-BALANCE® 2 HD STATIC</b>	N/A	N/A	N/A	N/A	W: 20-32" D: 20-28"	N/A
<b>TRU-BALANCE® 2 HD POWER TILT</b>	N/A	N/A	N/A	N/A	W: 20-32" D: 20-28"	N/A
<b>TRU-BALANCE® FLEX SEAT</b>	N/A	N/A	W: 15-22" D: 15-20"	N/A	N/A	W: 15-22" D: 15-20"
<b>Q4 POWER TILT</b>	W: 20-24" D: 20-24"	N/A	N/A	N/A	N/A	N/A
<b>SEAT-TO-FLOOR HEIGHTS<sup>13,16</sup></b>						
<b>TRU-BALANCE® 4 8</b>	N/A	N/A	N/A	N/A	N/A	N/A
<b>SYNERGY® / STATIC 8</b>	N/A	Synergy®: 15.875 - 17.875" Static: 16.75"	17.75 - 18.75" (Synergy® N/A)	17.75 - 18.75" (Synergy® N/A)	16.5-18.5"	16-18" (Static only)
<b>POWER TILT 8</b>	N/A	16.75"	17.75-19.75"	17.75-19.75"	19.5 - 20.5"	18.5-19.5"
<b>LIFT &amp; TILT 8</b>	N/A	N/A	17.75-19.75"	17.75-19.75"	N/A	17.25-18.25"
<b>TRU-BALANCE® FLEX SEAT 8</b>	N/A	N/A	16.5-18.5"	16.5-18.5"	N/A	16.5-17.5"
<b>Q4 POWER TILT</b>	17.25-19.25"	N/A	N/A	N/A	N/A	N/A

quantumrehab.com •       
The information contained herein is correct at the time of publication.  
We reserve the right to alter specifications without prior notice.

life.quantumrehab.com  
(US) 866-800-2002 • (Canada) 888-570-1113



# 1 F O R R E H A B P O W E R